

Ravensberger Schmierstoffvertrieb GmbH
Postfach 1163
33819 Werther
Tel.: 05203/9719-0
Fax.: 05203/9719-40 / 41

- ProductInformation -

RAVENOL Fork Oil Ultra Light 2,5W

Art. 1182101

Description:

RAVENOL Fork Oil Ultra Light 2,5W is fully synthetic fork oil on ester base which was developed for all forks of high performance motorbikes and especially for SHOWA and USD forks. The synthetic components and the excellent viscosity index of RAVENOL Fork Oil Ultra Light 2,5W offer an optimum damping behaviour at all temperatures as well as excellent air separation behaviour under all operating conditions – even during racings.

Application Directions:

RAVENOL Fork Oil Ultra Light 2,5W was developed for the use in all chassis components of two-wheeler vehicles and offers excellent power characteristics. In order to obtain the optimum viscosity for the vehicle and operating condition the fully synthetic fork oils are miscible among each other.

Quality Classification:

RAVENOL Fork Oil Ultra Light 2,5W is tried and tested for aggregates specifying:

Recommendations: Yamaha, Kawasaki, Honda, Aprilia, BMW, Suzuki, Ducati, Triumph, Moto-Guzzi

Technical Characteristics:

RAVENOL Fork Oil Ultra Light 2,5W offers:

- good damping characteristics at all temperatures
- a high and stable viscosity index
- an excellent protection against corrosion, therefore a longer endurance of the fork components
- as far as possible protection against corrosion of the inside components
- a very good air and water separation behaviour to prevent foam formation
- neutral behaviour against sealing made of plastics
- a very low pour point

Technical Values:

Characteristics		unit	data	test according to
Colour			clear, green	visual
Density	at 20 °C	kg/m ³	864	EN ISO 12185
Viscosity	at 40 °C	mm ² /s	19,8	DIN 51 562
	at 100 °C	mm ² /s	6,5	DIN 51 562
Flash point (COC)		°C	150	DIN ISO 2592
Pour point		°C	<-47	DIN ISO 3016

All indicated data are approximate values and are subject to the commercial fluctuations.